

Proven Antimicrobial, Bespoke Modular IPS Units

Unrivalled protection against bacterial growth





No joints — or flashgaps

Brackets straight to the wall, easy install



Flush or lipped access panels



Thermformed corners

Hinged access panels BioPod by BioClad is a proven antimicrobial, bespoke IPS unit. Modular manufactured, ready to 'plug & play' on site. The BioPod system is completely seamless with an impervious to water core and wrapped by BioClad Antimicrobial cladding. Accompanying unrivalled delivery leadtime's for a bespoke unit, The BioPod unit's not only improve best working practice, it is also undoubtably the most hygienic IPS unit on the market and negates any infection control issues.

°all 0330 100 0313

to speak to one of our technical team.

BioPod Features

Completely bespoke to your specification Rigid, totally impervious to water core Unique rubber T to seal access 10 - 15 working days lead time (from sign off of production drawing) One piece construction - no dirt & bacterial traps No onsite framing required Minimising trades on site - saving you time and money Pre-formed internal/external radius corners Hinged and lockable access panels - standard or bespoke locks, flush or lipped access to suit BioClad proven antimicrobial lined Extensive colour range Predrilled to suit sanitary ware specification.

BioPod Applications

Hospitals Pharmaceutical Clean Rooms Care Homes Doctor's surgeries Veterinary



BioPod's unique BioCore is 18mm thick PVC. It is made up using closed cell technology – that's millions of minute bubbles bound together to form the core. This means there's

form the core. This means the absolutely no room for water to penetrate. BioCore means both the BioClad surface and BioCore is 100% waterproof, no rot or water damage ever and also provides superior rigidity & durability.



Benefits

100% Waterproof Fire Resistant Easy to Fabricate Extremely Durable ECO Friendly <u>Soun</u>d Absorbent







Heights



Full-height



Half height with sloping top



Through suspended ceiling







BioPod Specification

K32 FRAME PANEL CUBICLE PARTITIONS AND 160 PROPRIETARY HAND WASH STATIONS

Manufacturer	BioClad® Limited Unit 1, Greengate, Cardale Park, Harrogate, North Yorkshire, HG3 1GY
	Tel: +44 (0) 330 100 0313 Email: sales@bioclad.com
Product ref	BioPod® with overlap skirting detail encapsulated with Bioclad® hygienic PVC.
Substrate	Wall substrates must be structurally sound and capable of supporting the fixed unit.
Preparation	Additional vertical support members are recommended for partition walls.
Plinth	Plinth available at no additional cost.
Fixing method	BioPod®unit to be seated on plinth with rebated overlap detail sealed to floor covering with BioClad® Seal clear sealant, and fixed back to wall with bracket system supplied.
Size	Height - To suit ceiling height (Max 3000mm) / scribed on site to suit ceiling height. Width - Standard 750mm Depth - Standard 225mm
Colour	All colours from BioClad range available.
Joint treatment	Seal to wall with approved sealant.
Components/ Accessories	Predrilled to meet sanitary ware specification.
Included features	Thermoformed external corners, two lockable access panels on projection hinges, predrilled and preplumbed for basin where applicable.
	The above specifications represent typical installations.
	For any other details or specifications, call our technical team on: 03301000313



BIOPOD

BioClad® Limited (Head Office) Unit 1, Greengate, Cardale Park, Harrogate, North Yorkshire,HG3 1GY

Tel: +44 (0) 330 100 0313 Email: sales@bioclad.com

www.bioclad.com